



Krishna Tissues Private Limited
Burdwan Katwa Road, Narja More, Mouza - Aorachawk & Narja
P.O. - Bhatar, Dist - Burdwan, Pin - 713125, West Bengal, India
E-mail : krishnatissues@vsnl.net / exdm@krishnatissues.com
"STAR EXPORT HOUSE" Recognised by Govt. of India



1ST AUGUST,2017

SPECIFICATIONS OF SACK KRAFT

S.NO.	PROPERTY	UNIT	PRODUCT RANGE		
01	Basis Weight	g/m^2	80	95	
02	Moisture	%	6.0-7.5	6.0-7.5	
03	Bulk	cc/g	1.5-1.7	1.5-1.7	
04	Tear Strength	MD	mN	720	855
		CD		880	1045
05	Tear Strength	MD	mNm^2/g	9.0	9.0
		CD		11.0	11.0
06	Tensile Strength	MD	KN/m	6.24	7.41
		CD		2.88	3.42
07	Tensile Index	MD	Nm/g	78	78
		CD		36	36
08	Stretch (Elongation)	MD	%	2.1	2.1
		CD		5.0	5.0
09	TEA (Tensile Energy Absorption)	MD	J/m^2	80	95
		CD		104	124
10	TEA INDEX	MD	J/g	1.0	1.0
		CD		1.3	1.3
11	Burst Strength	KPa	320	380	
12	Burst Index	$Kpa.m^2/g$	4.0	4.0	
13	Pososity (Air resistance GURLEY)	Sec/100ml	25	25	
14	Cobb (60 seconds) TS	g/m^2	28	28	
15	Cobb (60 seconds) WS	g/m^2	30	30	

NOTE : All the above property values are $\pm 5\%$ as per TAPPI standard.



MANUFACTURER OF FOLLOWING ITEMS

- ◆ Coated / Uncoated White Top Kraft Liner ◆ Coated Duplex Board
- ◆ Kraft Liner Board ◆ Test Liner Kraft ◆ Fluting Medium Paper
- ◆ Sack Kraft ◆ Carry Bag Kraft

