



ISO 9001:2008 Certified

**Krishna Tissues Private Limited**Burdwan Katwa Road, Narja More, Mouza - Aorachawk & Narja
P.O. - Bhatar, Dist - Burdwan, Pin - 713125, West Bengal, India
E-mail : krishnatissues@vsnl.net / exdm@krishnatissues.com

"STAR EXPORT HOUSE" Recognised by Govt. of India

SPECIFICATION OF TEST LINER PAPER**1ST SEPTEMBER,2017**

Characteristics	Unit	Norm	130 g/m ²	140 g/m ²	150 g/m ²	160 g/m ²	185 g/m ²
Grammage	g/m ²	TAPPI T-410	130 +/-5	140 +/-5	150 +/-5	160 +/-5	185 +/-5
Moisture	%	TAPPI T-412	6-8	6-8	6-8	6-8	6-8
Caliper	micron	TAPPI T-411	190 +/-20	200 +/-20	210 +/-20	220 +/-20	245 +/-20
Burst Resistance (min)	kg/cm ²	TAPPI T-403	3.0	3.2	3.3	3.4	3.7
RCT (CD)(min)	KN/m	SCAN	0.8	0.9	1.0	1.1	1.4
COBB-60	g/m ²	TAPPI T-411	20-40	20-40	20-40	20-40	20-40
Breakage Resistance - Length (min)	m	TAPPI T-494	5000	4900	4800	4700	4450
Brekage Resistance - Width (min)	m	TAPPI T-494	1800	1750	1700	1650	1550

**MANUFACTURER OF FOLLOWING ITEMS**

- ◆ Coated / Uncoated White Top Kraft Liner ◆ Coated Duplex Board
- ◆ Kraft Liner Board ◆ Test Liner Kraft ◆ Fluting Medium Paper
- ◆ Sack Kraft ◆ Carry Bag Kraft

